



3-10-05

IFW

Express Mail No. ED 311 827 541 US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Brines et al.

Confirmation No.: 7980

Serial No.: 10/676,694

Art Unit: 1647

Filed: September 30, 2003

Examiner: To Be Assigned

For: TISSUE PROTECTIVE CYTOKINE
RECEPTOR COMPLEX AND ASSAYS FOR
IDENTIFYING TISSUE PROTECTIVE
COMPOUNDS

Attorney Docket No: 10165-027-999

INFORMATION DISCLOSURE STATEMENT

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the continuing duty of disclosure imposed by 37 C.F.R. §1.56 to inform the U.S. Patent and Trademark Office of all references coming to the attention of each individual associated with the filing and prosecution of the subject application which are or may be material to the patentability of any claim of the application, Attorneys for Applicants respectfully direct the Examiner's attention to the references A01-A09, B01-B02 and C01-C49 listed on the attached revised form PTO 1449 entitled "List of References Cited by Applicant." Copies of references B01-B02 and C01-C49 are enclosed herewith.

Pursuant to M.P.E.P. Section No. 609 III (A)(2), copies of references A01 to A08 are not submitted herewith.

Identification of the listed references is not to be construed as an admission of Applicants or Attorneys for Applicants that such references are available as "prior art" against the subject application.

Applicants request that the Examiner review all the references identified on the attached revised PTO Form 1449, and that they be made of record in the file history of the above-identified application.

RECEIVED
MAR 18 2005
SM367340

Pursuant to 37 C.F.R. §1.97(b), since this Information Disclosure Statement is being filed before the mailing date of a first Office Action on the merits, no fee is believed due in connection herewith. However, should the Patent Office determine otherwise, please charge the required fee to Jones Day Deposit Account No. 50-3013. A copy of this sheet is enclosed for accounting purposes.

Respectfully submitted,


Date: March 9, 2005

Laura A. Coruzzi 30,742
Laura A. Coruzzi (Reg. No.)

By: Joseph P. Cahill 51,523
Joseph P. Cahill (Reg. No.)

JONES DAY
222 East 41st Street
New York, New York 10017
(212) 790-9090

Enclosures



LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY DOCKET NO.

10165-027-999

APPLICATION NO.

10/676,694

APPLICANT

Brines et al.

FILING DATE

September 30, 2003

GROUP

1647

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	A01	2004/0214236	10/28/04	Brines et al.			
	A02	2004/0122216	6/24/04	Nielsen et al.			
	A03	2003/0134798	7/17/03	Brines et al.			
	A04	2003/0104988	6/5/03	Brines et al.			
	A05	2003/0072737	4/17/03	Brines et al.			
	A06	2002/0031806	3/14/02	Lee			
	A07	6,531,121	3/11/03	Brines et al.			
	A08	5,763,198	6/9/98	Hirth et al.			
	A09	5,292,654	3/8/94	Yoshimura et al.			

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
	B01	WO 04/096148	11/11/04	PCT				
	B02	WO 02/053580	7/11/02	PCT				

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

C01	Barber et al., 1994, "Erythropoietin and interleukin-2 activate distinct JAK kinase family members," Mol. Cell. Biol. 14(10):6506-6514
C02	Barbone et al., 1997, "Mutagenesis studies of the human erythropoietin receptor. Establishment of structure-function relationships," J. Biol. Chem. 272(8):4985-4992
C03	Bazan, 1989, "A novel family of growth factor receptors: a common binding domain in the growth hormone, prolactin, erythropoietin and IL-6 receptors, and the p75 IL-2 receptor beta-chain," Biochem. Biophys. Res. Commun. 164(2):788-795
C04	Benit et al., 1993, "The 'WS motif' common to v-mpl and members of the cytokine receptor superfamily is dispensable for myeloproliferative leukemia virus pathogenicity," Oncogene 8(3):787-790
C05	Bonsi et al., 1997, "An erythroid and megakaryocytic common precursor cell line (B1647) expressing both c-mpl and erythropoietin receptor (Epo-R) proliferates and modifies globin chain synthesis in response to megakaryocyte growth and development factor (MGDF) but not to erythropoietin (Epo)," Br. J. Haematol. 98(3):549-559
C06	Boudot et al., 1999, "Erythropoietin induces glycosylphosphatidylinositol hydrolysis. Possible involvement of phospholipase c-gamma(2)," J. Biol. Chem. 274(48):33966-33972
C07	Brizzi et al., 1991, "Hematopoietic growth factor receptors," Int. J. Cell. Cloning 9(4):274-300
C08	Caravella et al., 1996, "A partial model of the erythropoietin receptor complex," Proteins 24(3):394-401
C09	D'Andrea et al., 2000, "A model for assembly and activation of the GM-CSF, IL-3 and IL-5 receptors: insights from activated mutants of the common beta subunit," Exp. Hematol. 28(3):231-243
C10	D'Andrea et al., 1998, "Dysregulated hematopoiesis and a progressive neurological disorder induced by expression of an activated form of the human common beta chain in transgenic mice," J. Clin. Invest. 102(11):1951-1960
C11	D'Andrea and Zon, 1990, "Erythropoietin receptor. Subunit structure and activation," J. Clin. Invest. 86(3):681-687

C12	Frank, 2002, "Receptor dimerization in GH and erythropoietin action--it takes two to tango, but how?" <i>Endocrinology</i> 143(1):2-10
C13	Fung et al., 1990, "The human interleukin-2 receptor: insights into subunit structure and growth signal transduction," <i>Semin. Immunol.</i> 2(2):119-128
C14	Grotzinger, 2002, "Molecular mechanisms of cytokine receptor activation," <i>Biochim. Biophys. Acta.</i> 1592(3):215-223
C15	Hanazono et al., 1995, "Erythropoietin induces tyrosine phosphorylation of the b chain of the GM-CSF receptor," <i>Biochem. Biophys. Res. Comm.</i> 208(3):1060-1066
C16	Harris et al. 1992, "Ligand binding properties of the human erythropoietin receptor extracellular domain expressed in <i>Escherichia coli</i> ," <i>J. Biol. Chem.</i> 267(21):15205-15209
C17	Hassan et al., 1995, "Characteristic biological features of human megakaryoblastic leukaemia cell lines," <i>Leuk. Res.</i> 19(9):589-594
C18	Imada et al., 1992, "Interleukin-2 (IL-2) induces erythroid differentiation and tyrosine phosphorylation in ELM-I-1 cells transfected with a human IL-2 receptor beta chain cDNA," <i>Biochem. Biophys. Res. Commun.</i> 188(1):352-357
C19	Itoh et al., 1990, "Cloning of an interleukin-3 receptor gene: a member of a distinct receptor gene family," <i>Science</i> 247(4940):324-327
C20	Jenkins et al., 1999, "A cell type-specific constitutive point mutant of the common beta-subunit of the human granulocyte-macrophage colony-stimulating factor (GM-CSF), interleukin (IL)-3, and IL-5 receptors requires the GM-CSF receptor alpha-subunit for activation," <i>J. Biol. Chem.</i> 274(13):8669-8677
C21	Jones et al., 1990, "Human erythropoietin receptor: cloning, expression, and biologic characterization," <i>Blood</i> 76(1):31-35
C22	Jubinsky et al., 1997, "The beta chain of the interleukin-3 receptor functionally associates with the erythropoietin receptor," <i>Blood</i> 90(5):1867-1873
C23	Jubinsky et al., 1996, "The beta c component of the granulocyte-macrophage colony-stimulating factor (GM-CSF)/interleukin 3 (IL-3)/IL-5 receptor interacts with a hybrid GM-CSF/erythropoietin receptor to influence proliferation and beta-globin mRNA expression," <i>Mol. Med.</i> 2(6):766-773
C24	Kirito et al., 2002, "Identification of the human erythropoietin receptor region required for Stat1 and Stat3 activation," <i>Blood</i> 99(1):102-110
C25	Lai et al., 1996, "The molecular role of the common gamma c subunit in signal transduction reveals functional asymmetry within multimeric cytokine receptor complexes." <i>Proc. Natl. Acad. Sci. USA</i> 93(1):231-235
C26	Lewis et al., 2004, "Opposing effects of PI3 kinase pathway activation on human myeloid and erythroid progenitor cell proliferation and differentiation in vitro," <i>Exp. Hematol.</i> 32(1):36-44
C27	Lewis et al., 1996, "Molecular characterization of the 7q deletion in myeloid disorders," <i>Br. J. Haematol.</i> 93(1):75-80
C28	Liu et al., 1994, "Multiple cytokines stimulate the binding of a common 145-kilodalton protein to Shc at the Grb2 recognition site of Shc," <i>Mol. Cell. Biol.</i> 14(10):6926-6935
C29	Livnah et al., 1999, "Crystallographic evidence for preformed dimers of erythropoietin receptor before ligand activation," <i>Science</i> 283(5404):987-990
C30	McClure et al., 2001, "GM-CSF binding to its receptor induces oligomerisation of the common beta-subunit," <i>Cytokine</i> 13(4):240-243
C31	Means et al., 1996, "Inhibition of human erythroid colony-forming units by interferons alpha and beta: differing mechanisms despite shared receptor," <i>Exp. Hematol.</i> 24(2):204-208
C32	Murakami et al., 1991, "Critical cytoplasmic region of the interleukin 6 signal transducer gp130 is conserved in the cytokine receptor family," <i>Proc. Natl. Acad. Sci. USA</i> 88(24):11349-11353
C33	Murray, 1996, <i>Harpers Biochemistry</i> 24th ed. pp.524-526, Appilion & Lange, Ltd.
C34	Naranda et al., 2002, "Activation of erythropoietin receptor through a novel extracellular binding site," <i>Endocrinology</i> 143(6):2293-2302
C35	Nathan, 1994, "Studies of hybrid hematopoietic growth factor receptors," <i>Stem Cells</i> 12 Suppl 1:27-33
C36	Noguchi et al., 1991, "Cloning of the human erythropoietin receptor gene," <i>Blood</i> 78(10):2548-2556
C37	Penny and Forget, 1991, "Genomic organization of the human erythropoietin receptor gene," <i>Genomics</i> 11(4):974-980
C38	Remy et al., 1999, "Erythropoietin receptor activation by a ligand-induced conformation change," <i>Science</i> 283(5404):990-993
C39	Scott et al., 2000, "Reassessment of interactions between hematopoietic receptors using common beta-chain and interleukin-3-specific receptor beta-chain-null cells: no evidence of functional interactions with receptors for erythropoietin, granulocyte colony-stimulating factor, or stem cell factor," <i>Blood</i> 96(4):1588-1590
C40	Shikama et al., 1996, "A constitutively activated chimeric cytokine receptor confers factor-independent growth in hematopoietic cell lines," <i>Blood</i> 88(2):455-464
C41	Tojo et al., 1987, "Identification of erythropoietin receptors on fetal liver erythroid cells," <i>Biochem. Biophys. Res. Commun.</i> 148(1):443-448
C42	Williamson et al., 1993, "Protein and lipid kinase activation cascades in interleukin-2 receptor signalling," <i>Semin. Immunol.</i> 5(5):337-344
C43	Winkelmann et al., 1990, "The gene for the human erythropoietin receptor: analysis of the coding sequence and assignment to chromosome 19p," <i>Blood</i> 76(1):24-30
C44	Yamamura et al., 1992, "Distinct downstream signaling mechanism between erythropoietin receptor and interleukin-2 receptor," <i>EMBO J.</i> 11(13):4909-4915

C45	Yet et al, 1993, "The extracytoplasmic domain of the erythropoietin receptor forms a monomeric complex with erythropoietin," <i>Blood</i> 82(6):1713-1719
C46	Yoshimura et al., 1996, "Mouse oncostatin M: an immediate early gene induced by multiple cytokines through the JAK-STAT5 pathway," <i>EMBO J.</i> 15(5):1055-1063
C47	Yoshimura <i>et al.</i> , 1996, "Physician Education: The Erythropoietin Receptor and Signal Transduction," <i>Oncologist</i> 1(5):337-339
C48	Yoshimura et al., 1995, "A novel cytokine-inducible gene CIS encodes an SH2-containing protein that binds to tyrosine-phosphorylated interleukin 3 and erythropoietin receptors," <i>EMBO J.</i> 14(12):2816-2826
C49	Zhu et al., 2002, "Detecting and responding to hypoxia," <i>Nephrol. Dial. Transplant.</i> 17 Suppl 1:3-7

EXAMINER**DATE CONSIDERED**

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.